




BEEF IMPROVEMENT FEDERATION

BULL TEST STATION DIRECTORY
&
PERFORMANCE TEST SUMMARY



1976



Beef Improvement Federation

This report fulfills two purposes - - to provide a report of performance test activities of Beef Improvement Federation members for the calendar year 1975 AND to provide a list of the central bull testing stations operated by BIF members or within their geographical areas.

The delay in publication of this material is due to delays in receipt of the data to put into it. Completeness of the report depends on data being promptly and accurately submitted.

It is suggested that you closely review the bull testing station methodology employed by the station(s) within your influence and that you make every effort to bring that (those) station(s) as close as possible to BIF recommended procedures.

If you are aware of stations that were omitted or other glaring errors please notify the BIF office.

December 1976

RIF Survey Summary of 1975 Participation in Beef Improvement Programs
National Association Reports

| Assn. | Herd Records | | | Central Test Stations | | | On Farm & Ranch | | Total Brdrs. Testing Bulls | Carcass Eval. | | Sire Eval. | |
|------------|--------------------|------------------|--------------|-----------------------|---------------|-------------|-----------------|---------------|----------------------------------|---------------|--------------|--------------|---------------|
| | Weaning Records | Yrlg. Records | No. Herds | No. Bulls | No. Brdrs. | No. Sta. | No. Bulls | No. Brdrs. | | No. Brdrs. | No. Sires | No. Sires | No. Brdrs. |
| Angus | 75,400 | 29,967 | 1,081 | --- | --- | --- | --- | --- | --- | 47 | 61 | 175 | 65 |
| Brahman | 1,363 | 538 | 27 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Brangus | 2,941 | 883 | 19 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| Charolais | 7,391 | 2,258 | 1,041 | 500 | --- | 41 | --- | --- | --- | --- | --- | 44 | 66 |
| Chianina* | 28,800 | 28,800 | 2,739 | 700 | 75 | 45 | --- | --- | 100 | --- | --- | --- | --- |
| Gelbvieh* | 7,000 | 1,000 | 650 | 80 | 26 | 1 | --- | --- | --- | 50 | 5 | 44 | 700 |
| Hereford | 82,151 | 39,241 | 1,201 | --- | --- | --- | --- | --- | --- | 212 | 150 | 1,234 | --- |
| Limousin* | 30,000 | 15,000 | 1,500 | --- | --- | --- | --- | --- | --- | --- | --- | 150 | 3,500 |
| Maine-An. | 24,394 | 1,017 | 2,351 | --- | --- | --- | 557 | 57 | 57 | 7 | 7 | 130 | --- |
| Nor. Red* | 41 | 41 | 1 | --- | --- | --- | 22 | 1 | 1 | --- | --- | 6 | --- |
| Pinzgauer* | 546 | 54 | 20 | 10 | 3 | 2 | 10 | 1 | 1 | --- | --- | 9 | 9 |
| P. Here. | 30,788 | 11,450 | 1,857 | --- | --- | --- | --- | --- | --- | 98 | 70 | 107 | 159 |
| R. Angus | 18,120 | 1,575 | 1,150 | 1,050 | 137 | 14 | 525 | 163 | 175 | 6 | 10 | 6 | 10 |
| Simmental | 63,720 | 13,294 | 9,271 | --- | --- | --- | 11,940 | 9,271 | --- | 72 | 96 | 1,450 | 9,271 |
| Shorthorn | 1,500 | 700 | 89 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| PRI* | 12,310 | 3,337 | --- | --- | --- | --- | --- | --- | --- | 59 | 77 | 94 | 62 |
| Totals | 38,6465 | 149,155 | 22,997 | 2,340 | 241 | 103 | 13,054 | 9,493 | 334 | 551 | 476 | 3,449 | 13,843 |

* Data used from previous year's summary because new data not received in time for summary.

BIF Survey Summary of 1975 Participation in Beef Improvement Programs
State Reports

| State | Herd Records | | | Central Test Stations On Farm & Ranch | | | | | | Carcass Eval. | | Sire Eval. | |
|-------|-------------------|---------------|-----------|---------------------------------------|------------|----------|-----------|------------|----------------------------|---------------|-----------|------------|------------|
| | Weaning Records | Yrlg. Records | No. Herds | No. Bulls | No. Brdrs. | No. Sta. | No. Bulls | No. Brdrs. | Total Brdrs. Testing Bulls | No. Brdrs. | No. Sires | No. Sires | No. Brdrs. |
| AL | 4,820 | 340 | 85 | 98 | 24 | 2 | 228 | 15 | 26 | --- | --- | --- | --- |
| AZ | program dissolved | | | | | | | | | | | | |
| AR | 3,730 | --- | 71 | 211 | 62 | 3 | 268 | 17 | 76 | --- | --- | --- | --- |
| CA | 1,508 | 70 | 15 | 316 | 43 | 2 | 514 | 25 | --- | --- | --- | --- | --- |
| CO | 1,920 | --- | 23 | 438 | 63 | 3 | 1,276 | 200 | 250 | 43 | 51 | --- | --- |
| CT | 319 | 27 | 16 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| DE | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| FL | 9,460 | 585 | 85 | --- | --- | --- | 436 | 8 | --- | --- | --- | --- | --- |
| GA | 6,517 | 279 | 67 | 176 | 30 | 2 | 500 | 15 | 50 | --- | --- | --- | --- |
| HA* | 969 | 375 | 16 | --- | --- | --- | 237 | 12 | --- | 1 | 5 | 74 | 12 |
| ID* | 13,001 | 4,989 | 160 | 69 | 59 | 3 | 940 | 23 | --- | 12 | 73 | 73 | 12 |
| IL | 14,971 | 2,018 | 418 | 160 | 120 | 2 | 803 | 130 | 190 | --- | --- | --- | --- |
| IN | 6,208 | 1,213 | 347 | 28 | 17 | 1 | 430 | 108 | 118 | 180 | 144 | 301 | 229 |
| IA | 6,607 | 1,435 | 94 | 846 | 250 | 6 | 3,500 | 150 | 275 | 30 | 60 | 800 | 250 |
| KS | 35,925 | 10,330 | 547 | 940 | 233 | 7 | 5,230 | 250 | 318 | 48 | 45 | --- | --- |
| KY | 7,213 | 837 | 236 | 40 | 17 | 1 | 837 | 236 | 240 | 2 | 4 | --- | --- |

| State | Herd Records | | | Central Test Stations | | | On Farm & Ranch | | | Total Brdrs. Testing Bulls | Carcass Eval. | | Sire Eval. | |
|-------|--------------------|------------------|--------------|-----------------------|---------------|-------------|-----------------|---------------|---------------|----------------------------------|---------------|--------------|--------------|---------------|
| | Weaning Records | Yrlg. Records | No. Herds | No. Bulls | No. Brdrs. | No. Sta. | No. Bulls | No. Brdrs. | No. Brdrs. | | No. Sires | No. Sires | No. Sires | No. Brdrs. |
| LA* | 6,675 | 250 | 93 | 175 | 36 | 1 | 220 | 14 | 48 | 6 | 8 | 6 | 12 | |
| ME* | 317 | 216 | 17 | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | |
| MD | 227 | 227 | 1 | --- | --- | --- | 122 | 1 | 1 | 1 | 12 | --- | --- | |
| MA | 274 | 96 | 17 | --- | 3 | --- | 10 | 5 | 4 | --- | --- | 13 | --- | |
| MI | 4,373 | 1,907 | 167 | 22 | 16 | 1 | 416 | 110 | 113 | --- | --- | --- | --- | |
| MN | 4,410 | 1,766 | 86 | 92 | 29 | 1 | 1,543 | 86 | 96 | 14 | 38 | 556 | 278 | |
| MS | 3,847 | 870 | 71 | --- | --- | --- | 450 | 41 | 450 | 8 | 24 | 200 | 71 | |
| MO | 14,447 | 1,940 | 600 | 198 | 43 | 2 | 6,000 | 450 | 475 | 40 | 60 | 175 | 100 | |
| MT | 18,593 | 7,200 | 468 | 949 | 218 | 4 | 7,200 | 144 | 8,149 | --- | --- | --- | --- | |
| NB | 23,606 | 3,541 | 209 | 901 | 129 | 5 | 1,947 | 179 | 186 | 222 | 555 | 208 | 143 | |
| NV | no data available | | | | | | | | | | | | | |
| NH | 207 | 117 | 16 | --- | --- | --- | 4 | 3 | 4 | --- | --- | 14 | 16 | |
| NM* | 2,750 | 250 | 30 | 125 | 30 | 1 | 165 | 4 | 31 | 21 | 24 | 52 | 40 | |
| NY* | 2,149 | 395 | 87 | 67 | 34 | 1 | 159 | 15 | 47 | 5 | 10 | 10 | 5 | |
| NC | 13,952 | 165 | 218 | 122 | 36 | 2 | 165 | 20 | 49 | --- | --- | --- | --- | |
| ND | 101,053 | 8,265 | 918 | --- | --- | --- | 3,960 | 150 | 150 | 70 | 80 | 80 | 70 | |
| OH | 9,600 | 860 | 341 | 107 | 38 | 1 | 40 | 3 | 36 | 4 | 15 | 550 | 341 | |

| State | Herd Records | | | Central Test Stations | | | On Farm & Ranch | | | Carcass Eval. | | Sire Eval. | |
|--------|-------------------------|---------------|-----------|-----------------------|------------|----------|-----------------|------------|----------------------------|---------------|-----------|------------|------------|
| | Weaning Records | Yrlg. Records | No. Herds | No. Bulls | No. Brdrs. | No. Sta. | No. Bulls | No. Brdrs. | Total Brdrs. Testing Bulls | No. Brdrs | No. Sires | No. Sires | No. Brdrs. |
| OK | 720 | 110 | 12 | 1,200 | 150 | 8 | 1,500 | 45 | 150 | 25 | 40 | 300 | 150 |
| OR | 72,340 | 26,125 | 725 | 926 | 77 | 2 | 6,125 | 450 | 475 | 102 | 410 | 510 | 475 |
| PA* | 1,615 | 139 | 75 | 68 | 34 | 1 | 231 | 3 | 37 | --- | --- | --- | --- |
| SC | 4,850 | --- | 125 | 85 | 20 | 1 | 110 | 5 | 25 | --- | --- | --- | --- |
| SD | 23,130 | 4,174 | 309 | 90 | 31 | 1 | 1,310 | 47 | 61 | 9 | 35 | --- | --- |
| TN | 7,800 | 327 | 249 | 94 | 45 | 1 | 233 | 51 | 74 | 34 | 39 | 713 | 249 |
| TX* | 43,849 | 10,532 | 596 | 2,892 | 488 | 123 | 5,549 | 355 | 783 | --- | --- | --- | --- |
| UT | 8,499 | 6,950 | 99 | 200 | 50 | 1 | 2,251 | 58 | 79 | --- | --- | 107 | 33 |
| VA | 12,441 | 3,763 | 168 | 567 | 90 | 3 | 576 | 58 | 108 | --- | --- | --- | --- |
| WA | 10,000 | 4,000 | 110 | 280 | 70 | 2 | 1,000 | 22 | 85 | 60 | 65 | 100 | 85 |
| WV | 10,840 | 216 | 272 | 216 | 72 | 1 | 30 | 1 | 73 | 2 | 6 | 10 | 4 |
| WI | 12,000 | 1,750 | 164 | --- | --- | --- | --- | --- | --- | 25 | 75 | --- | --- |
| WY | not active at this time | | | | | | | | | | | | |
| Totals | 527,732 | 108,640 | 8,423 | 12,698 | 2,657 | 195 | 56,515 | 3,509 | 13,332 | 964 | 1,878 | 4,852 | 2,575 |

* Data used from previous year's summary because new data not received in time for this summary.

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with-in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|--|-----------------|---------------------|---|--|-----------------------------|------------------------------|------------------|--------------------|--------------------------------------|
| <u>ALABAMA</u> Auburn University Dept. of An Sci Auburn, AL 36830 % Dr. Robert Scarth | 150 | | 2.30 British Breeds 2.50 Larger Breeds | 7-12 months | yes | no | yes | 65-70% | no |
| North AL BCIA-Florence 201 Extension Hall Auburn University Auburn, AL 36830 % Dr. Richard Deese | 100 | 1973 | 2.20 WDA | 7-12 months | yes | no | yes | 70-80% | no |
| <u>ARIZONA</u> Arizona BCIA Station Animal Science Dept. University of AZ Tucson, AZ 85721 % Dr. Bruce Taylor | 110 | 1960 | None - we recommend 2 lb. WDA | 9/1-12/15 (Sr. Div) 12/16-3/31 (Jr. Div.) | yes | no | yes | 60% | individual feeding-no pens-yes |
| <u>ARKANSAS - Fall & Spring</u> Southwest Branch Experiment Station Cecil Bittle Hope, AR 71801 | 60 | 1962 | | 7-10 months | yes | no | no | | yes |
| Bill Wallace Beef Substation - Fall Newport, AR 72112 | 60 | 1962 | | 7-10 months | yes | no | no | | yes |
| Dr. C. J. Brown - Fall Dept. of Animal Science University of AR Fayetteville, AR 72701 | 60 | 1962 | | 7-10 months | yes | no | no | | yes |
| Dr. Bob Kirst - Spring Agriculture Dept. University of AR Monticello, AR 71655 | 60 | 1975 | No bulls tested due to inadequate demand | | | | | | |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with- in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|--|-----------------|---------------------|--|--|------------------------------------|----------------------------------|------------------|------------------------|-------------------------------|
| <u>CALIFORNIA</u> | | | | | | | | | |
| CBCIA Bull Test Will Gill Feedlot 25719 Ave. 13 Madera, CA 93637 | unlimited | 1971 | 2 lbs. WDA at weaning or calves from top half of calf crop | 196-348 days | yes | no | yes | 85% | no |
| <u>COLORADO</u> | | | | | | | | | |
| San Juan Basin Re- search Center | 106 | 1949 | none | 2/15-5/15 | no-all English | no | yes | 90% | yes |
| Four Corners BCIA Hesperus, CO 81326 | 200 | 1974 | 400-recommended | 2/15-5/15 | 2 groups British vs. Exotics | no | yes | 90% | pen |
| Southeast CO Bull Assn. Route 1, Box 173 A Flourence, CO 81226 | unlimited | 1973 | 2.0 WDA | Sr. 9/1 - 12/31 Jr. 1/1 - 5/1 | yes | no | yes | 90% | no |
| CO Simmental Assn. Bernie Brown P.O. Box 166 Villa Grove, CO 81155 | unlimited | 1974 | none | Sr. 12/1- 2/15 Jr. 2/16- 4/31 | yes | no | yes | 100% | no |
| <u>GEORGIA</u> | | | | | | | | | |
| Tifton Bull Test Clyde Triplett Box 1209 Tifton, GA 31794 | 150 | 1958 | 2.2 WDA 205-day wt. | 10/1-2/28 | yes | no | yes | Top 2/3 | no |
| North GA Bull Center Joe Armstrong Box 95 Calhoun, GA 30701 | 150+ | 1971 | 2.2 WDA 205-day wt. | 10/1-2/28 | yes | no | yes | Top 2/3 | no |
| Berry College Eddie Sheek, Mgr. Rollins Beef Research Mount Berry, GA 30149 | | 1975 | | | | | yes | | yes |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with- in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|---|----------------------------|---------------------|---|--------------------------------------|------------------------------|------------------------------|------------------|----------------------------|---------------------------|
| <u>IDAHO</u> | | | | | | | | | |
| Shaw Test Station Route 2 Caldwell, ID 83605 | 500 | 1970 | none | Sr. 12/1- 2/28 Jr. 3/1- 5/1 | yes-60 day age limit | no | yes | 70% | |
| <u>ILLINOIS</u> | | | | | | | | | |
| Western IL University Dept. of Agriculture Macomb, IL 61455 | 72 head twice a year | 1972 | 22 lbs./ hd./day when enter the station | maximum 285 minimum 180 | yes | no | yes | Top 3/4 within breed | no |
| <u>IOWA - IBIA (123 Airprot Rd., Ames, IA 50010)</u> | | | | | | | | | |
| Grundy Center % Gene Plager Grundy Center, IA 50638 | 200 | 1975 | 2.2 WDA | | 180-240 day | yes | no | yes | Top 2/3 no |
| Oto - Early Spring % Tom Leesley Oto, IA 51044 | 120 | 1975 | 2.2 WDA | | 180-240 day | yes | no | yes | Top 2/3 no |
| Creston - Spring 1 % Rudy Ehm Rt. 2 Creston, IA 50801 | 300 | 1972 | 2.2 WDA | | 180-240 day | yes | no | yes | Tot 2/3 no |
| Eldon - Spring 2 % Ralph Shields County Line Feeders Eldon, IA 52553 | 200 | 1973 | 2.2 WDA | | 180-240 day | yes | no | yes | Top 2/3 no |
| Oakland - Spring 4 % Don Allen Box 627 Oakland, IA 51560 | 200 | 1975 | 2.2 WDA | | 180-240 day | yes | no | yes | Top 2/3 no |
| Storm Lake - Spring 5 IA Agronomics Inc. % Ralph Mosbo Rembrandt, IA 50576 | 200 | 1975 | 2.2 WDA | | 180-240 day | yes | no | yes | Top 2/3 no |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with- in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|---|-----------------|---------------------|------------------------------------|--------------------------------------|----------------------------------|----------------------------------|----------------------|------------------------|-------------------------------|
| <u>KANSAS</u> | | | | | | | | | |
| Kansas Bull Test Beloit, KS 67420 | 450 | 1971 | 2 lbs. WDA | maximum 275 minimum 180 | yes | no | yes | Top 2/3 | no |
| Kansas Bull Test % Keith Zoellner Yates Center, KS 66783 | 250 | 1975 | 2 lbs. WDA | maximum 275 minimum 180 | yes | no | yes | Top 2/3 | no |
| Corbin Bull Test % Carlton Corbin, Jr. Rt. 1 Eureka, KS 67045 | | | | | | | | | |
| Silver Key Bull Test % Larry Stueky Rt. 1 Mc Pherson, KS 67460 | | | | | | | | | |
| Bozone Bull Test % David Bozone Rolla, KS 67954 | | | | | | | | | |
| <u>KENTUCKY</u> | | | | | | | | | |
| Eden Shale Farm % O.D. Hawkins, Supt. Owenton, KY 40359 | 50 | 1971 | 2.15 lbs. WDA | 1/10-3/31 201 days to 282 days | yes | no | yes | Top 2/3 | no |
| <u>MINNESOTA</u> | | | | | | | | | |
| MN Central Bull Test Lake Benton, MN 56149 | 210 | 1969 | 2 lbs. WDA | 2/1-5/31 | yes | no | yes | Top 2/3 | yes-pen |
| <u>MISSOURI</u> | | | | | | | | | |
| Central Testing Station % Keith Leavitt U. of MO, 125 Mumford Columbia, MO 65201 | 85 | 1961 | 90% herd av. | 6-9 months | yes | yes | no | 50% | yes-pen |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with- in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|---|-----------------|---------------------|------------------------------------|---------------------------|------------------------------|------------------------------|------------------|--------------------|---------------------------|
| <u>MISSOURI</u> | | | | | | | | | |
| North MO Center % Keith Leavitt U. of MO, 125 Mumford Columbia, MO 65201 Station location: Rt. 1, Spickard, MO | 120 | 1971 | 90% herd Av. | 6-9 months | yes | yes | no | 50% | yes, pen |
| Mark Twain Test Center % Larry Coon Bethel, MO 63434 | 200 | 1973 | 90% herd Av. | 6-9 months | yes | no | yes | 50% | yes, pen |
| R&M Performance Test % E. Rodger Boyle, Jr. Rt. 3, Box 127 Warrensburg, MO 64093 | 80 | 1974 | 90% herd Av. | 6-9 months | yes | no | no | 50% | yes, pen |
| Show-me Certified Eval. Station, % Fred Conner Albany, MO 64402 | 200 | 1970 | -- | 6-9 months | yes | yes | no | 50% | yes, pen |
| Wiley Test Station % Jerry Wiley Calhoun, MO 65323 | 180 | 1970 | -- | 6-9 months | yes | no | no | 50% | yes, pen |
| Ozarkia Test Station % Lloyd Hanna Kingview Ranch, Inc. Star Rt., Box 22 Marshfield, MO 65706 | 90 | 1970 | -- | 6-9 months | yes | no | yes | 50% | yes, pen |
| <u>MONTANA</u> | | | | | | | | | |
| Midland Bull Test Center 2315 Colton Blvd. Billings, MT 59101 | 376 | 1963 | none | 330-480 | yes | no | yes | 65-70% | no |
| Moise Performance Center Moiese, MT | 177 | 1968 | none | 330-480 | yes | no | yes | 65-70% | no |
| Treasure State Station Rt. 1 West, Box 49G Great Falls, MT 59401 | 183 | 1968 | none | 330-480 | yes | no | yes | 65-70% | no |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with- in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|--|-----------------|---------------------|------------------------------------|-----------------------------|----------------------------------|----------------------------------|----------------------|------------------------|-------------------------------|
| <u>MONTANA</u> | | | | | | | | | |
| Carbon County Cattle Co. unlimited Box 125 Boyd, MT 59013 | | 1976 | | 330-480 | yes | yes | no | | no |
| <u>NEBRASKA</u> | | | | | | | | | |
| Eastern NB Beef Cattle Testing Station % Gary Sierke Schuyler, NB 68661 | 220 | 1962 | 2.2 WDA | 1/15-5/15 120 days | yes | no | yes | Top 33% | yes |
| Western NB Beef Cattle Testing Station Ogallala, NB 69153 % Bill Roesch Whitman, NB | 400+ | 1963 | 2.2 WDA | 1/15-5/15 120 days | yes | no | yes | Top 50% | no |
| Black Angus Testing % Gordon Zeller Bellwood, NB 68624 | 125+ | 1971 | | | yes | no | yes | | no |
| Nebraska Simmental Assn. % Dick Tetherow Valentine, NB 69201 | 100+ | 1974 | | | yes | no | yes | | no |
| Nebraska Limousin Assn. % Glen Baum Tecumseh, NB 68450 | 100+ | 1974 | | | yes | no | yes | | no |
| <u>NEW MEXICO</u> | | | | | | | | | |
| Tucumcari Bull Test % Larry Foster Box 3AE, NMSU Las Cruces, NM 88003 Station location: Tucumcari, MNSU | 156 | 1961 | 2.2 WDA 475 lbs 205 adj. wt. | Jr. 1/1-4/1 Sr. 9/1-12/1 | yes | yes- purebreds | yes | 80% | yes, pen |
| <u>OKLAHOMA</u> | | | | | | | | | |
| OK Beef, Inc. OK State University 004 Animal Husbandry Stillwater, OK 74074 | 360 | 1973 | none | 6-9 months | yes | no | yes | 70% | no |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with-in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What sell %</u> | <u>Measure efficiency</u> |
|--|-----------------|---------------------|------------------------------------|---------------------------|-----------------------------|------------------------------|------------------|--------------------|---------------------------|
| <u>OKLAHOMA</u> | | | | | | | | | |
| Panhandle State College Box 186 Goodwell, OK 73939 % Milton England | 150 | NR* | NR* | No | Yes | No | yes | 70% | No |
| Holdenville Station % Jesse Barbre Box 271 Holdenville, OK 74848 | 140 | 1958 | NR* | No | Yes | No | yes | 70% | No |
| Noble Foundation Rt. 1 Ardmore, OK 73401 % Wayne Dobbs | 96 | 1960 | NR* | Yes | ? | Yes | Yes | 70% | Yes |
| Connors State College Box 424 Warner, OK 74469 | 144 | 1965 | None | None | No | Yes | yes | 70% | Yes |
| Southwest Sire Eval. Rt. 4 Frederick, OK 73542 % Edgar Hamra | 300 | 1968 | None | None | ? | Yes | No | NR* | No |
| American Beef Cattle Eval. Box 558 Ringling, OK 73456 % Hollis Dickey | 500 | 1966 | None | None | ? | ? | yes | 70% | Yes |
| Scott-Sand Test Rt. 2, Box 125 Tonkawa, OK 74653 % Murray Scott | 80 | 1970 | None | None | ? | Yes | No | NR* | No |
| <u>OREGON</u> | | | | | | | | | |
| Ranch Services, Inc. Route 2, Box 789 Klamath Falls, OR 97601 % Eddie Meeker | 1,000 | 1967 | 2 lbs. WDA | NR* | yes | yes | yes | 50 bulls | no |
| Central OR Test Station Johnson Road Prineville, OR 97754 % Dr. Harry Pollard | 100 | 1967 | 2 lbs. WDA | NR* | yes | yes | yes | 40 bulls | no |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio within breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|---|-----------------|---------------------|------------------------------------|---------------------------|----------------------------|---|------------------|--------------------|---------------------------|
| <u>SOUTH DAKOTA</u> | | | | | | | | | |
| Ideal Beef Center Ideal, SD 57541 % Wayne Nelsen | 300 | 1970 | 2 lbs. WDA | 180-240 day | yes | no | yes | ? | no |
| <u>TENNESSEE</u> | | | | | | | | | |
| Middle Tennessee Exp. Station Spring Hill, TN 37174 % Dr. W. R. Backus Animal Science Dept. University of TN Knoxville, TN 37901 | 126 | 1967 | 205 day weight | | yes | no | no | 0 | no |
| <u>UTAH</u> | | | | | | | | | |
| Utah Bull Test Station Centerfield, UT 84622 % Allen Frandsen | 250 | 1969 | none | 1/1 - 6/1 | yes | only if 4 or less within a breed | yes | Top 40-45% | yes |
| <u>VIRGINIA</u> | | | | | | | | | |
| Culpeper Central Bull Test Station Culpeper Ag. Enterprises Culpeper, VA 22701 % VA BCIA | 175 | 1958 | 2.1 WDA seniors 2.2 WDA juniors | 6-10 months | yes | no | yes | 66.7% | no |
| Red House Bull Evaluation Center Red House, VA 23963 % VA BCIA | 225 | 1972 | 2.1 WDA seniors 2.2 WDA juniors | 6-10 months | yes | no | yes | 66.7% | no |
| <u>WEST VIRGINIA</u> | | | | | | | | | |
| WV Bull Test Station Wardensville, WV 26851 % Mr. Ben W. Wamsley, Jr. WV University Morgantown, WV 26506 | 300 | 1967 | ratio of 100 or more | 6-8 months | yes | no | yes | 60% | no |

| <u>Station & Address</u> | <u>Capacity</u> | <u>Year started</u> | <u>On test weight requirements</u> | <u>On test age limits</u> | <u>Ratio with- in breeds</u> | <u>Ratio over all breeds</u> | <u>Have sale</u> | <u>What % sell</u> | <u>Measure efficiency</u> |
|---|-----------------|---------------------|------------------------------------|---------------------------|----------------------------------|----------------------------------|------------------|------------------------|-------------------------------|
| <u>WASHINGTON</u> | | | | | | | | | |
| Lacrosse Bull Station P.O. Box 403 Lacrosse, WA 99143 % Blaine Hinderer | 260 | 1969 | 2 lbs. WDA | 10/1-5/15 | yes | no | yes | 60-70% | yes |
| Columbia Bull Station Star Rt., Box 57 Goldendale, WA 98620 % Bob Lee | 180 | 1974 | 2 lbs. WDA | 12/16-5/15 | yes | no | yes | 60-70% | yes |
| <u>WISCONSIN</u> | | | | | | | | | |
| Platteville Bull Station Pioneer Prairie Farm Rt. 4 Platteville, WI 53818 % Phil Wyse | 170-180 | 1970 | 2.2 WDA | 3/1-6/1 | yes | no | yes | Top 2/3 | no |

NR* Data not reported.